

# H7002

Standalone Security Display  
Device charging & Alarm series

## Smaller, Wonder

H7002 has a cute and elegant looks, it focuses on low profile display, makes the exhibit the neat and easy, ensures the best shoppers experience. Small footprint provide a less space occupied solution, save space and improve space efficiency. Integrated with Wireless Remote Control Technology and Powerful charging capability. It is very stable and applicable which can charge and secure most of handheld devices.

Support countertop or wall-mounted installation

External spiral cable  
Detachable connector allow to collect phone easily

Visible indicator light  
indicator light on the base, easier to manage.

Tiny Stand  
Less space occupied




**2.4G remote control**  
Without the limitation of direction


**Secondary protection**  
Support detachable secondary sensor to provide additional protection



Function	Description
Universal protection	It will trigger the alarm when plungers on pedestal and holder released, or coiled cable detached or broken.
Charging ability	The device can provide powerful current to charge.
Built-in battery	Built-in battery design, support alarm function without power adapter for around 180 days.
Device Removal	Detachable connection allows for easy removal of merchandise for safe after-hours storage.
Reserved strip hole	Reserved strip hole on holder for secure irregular exhibits
Indication light	RED/BBLUE indication light on pedestal (After installed the light flashes in red slowly to indicate the device is standby; Blue light flashes slowly when under securing and Red light flashes rapidly when alarming.)
Remote control	2.4G remote control, support password programmable, distance about 5cm~10m.
Loudness of alarm	Around 100 dB (10cm away from device)




Front View




Top View

Adhesive on the holder 3M(H7002)




Side View



Bottom View

Adhesive on the base 3M(H7002 base)




**Wall-mounted**

(with adhesive on the pedestal, no screw needed)



**Countertop-mounted**



Plunger on base

Mounting hole(if needed)

(for putting the cable through table, We suggest the hole with 20mm diameter, marked in red color)

Cable routing

Model	Color	PSU(Included)	Remarks
H7002W	White	5.5V 1A	Include secondary sensor

Optional Accessories		
Category	Model	Description
Remote	B3001	Remote control with password setting feature.
	B3002	Dual key controller with ON/OFF
	B3201	Dual key controller with ON/OFF/MUTE feature. (For manager of stores)
	B3202	Single key controller with ON/MUTE feature. (For employee of stores)
Charging cable	CH18	Micro USB charging port
	CH35V2	Lightning charging port
Adhesive for holder	3M(H7002)	3M adhesive for holder
Adhesive for base	3M(H7002底胶)	3M adhesive for base

Contact Us:  
info@showhiglobal.com